Rev. H. S. Gorham and Some 19th Century Records By J. COOTER* (Continued from Volume 90, page 286)

THE DIARY, SELECTED ENTRIES

The entries given below I have chosen as being representative but perhaps somewhat biased towards rarity and by personal opinion. Many captures would appear to be unrecorded, and others when quoted by other authors differ in point of fact or detail. I have also tried to put across something of the "flavour" of the journal, and atmosphere of the Victorian entomological world, a time when transport as we known it today and take it for granted was not available.

vii it today a	Entry	it for granted was not available.
Date	No.	
Date	1.0.	
1869		
April	12	From E. C. Rye, one Acylophorous glabricollis captured on Barnes Common, April.
	13	From E. W. Janson, three Bitoma crenata, one Helophorus intermedius.
	144	Wimbledon Common, Paederus cali-
		gatus, Tachyporus transversalis, one
		Stenol, dorsalis.
May 13th	19	Bagot Park,—out of old oak, one Bat.
way 15th	17	venustus, one Cis fuscatus, one Omal.
		pusillum. In garden, Oc. brunnipes.
June 29th	29	Found one Leptinus testaceus ⁵ in Bees'
Dune 27111		nest in the Church yard, note its activity.
30th	,,	Found one more, and saw another which
	,,	retired into the nest.
July 2nd	31	Nimrod caught one Leptinus in the Bees'
		nest and saw two others.
3rd	,,	Got two Leptinus about half past eight
	*/	in the same Bees' nest. They hide in the
		loose [?] litter near the mouth of nest.
4th	32	Nimrod brought two Leptinus and two
		black T. flavilabris from Hoarcross.
5th		Dug out Bees' nest, Bombus pratorum,
		found many Leptinus testaceus (about
		50)5, two Antherophagus pallens, Cryp-
		tophagus, two setutosus, one saginatus,
		one Epurea aestiva ⁶ .
July 20th	37	Bournemouth, 16 Serica brunnea drowned
		in sea among detritus.
August	46	From Llewellyn, four Trichius fasciatus,
		North, South Wales ⁷ .
1870		
March 8th	8	Examined rubbish from Bees' nest 32.69,
		found two Leptinus, three Epurea
3.6 3.21	10	melina.
March 31st	12	Beyond Crystal Palace on sallows Dor.
,,	,,	[? Dorytomus]. Cutting up rushes, one
		Quedius maurorufus, Brad. distinctus.

^{4.} See Fowler 1888, 2: 323, Gorham found three further specimens at Wimbledon April 15th, 1870. Stenol.=Stenolophus, i.e. Acupalpus dorsalis (Fab.).

See Fowler 1889, 3:93.
 Epuraea aestiva, see Fowler 1889, 3:228.
 See Fowler 1890, 4:61.

^{* 20} Burdon Drive, Bartestree, Hereford.

8 Agathirlian Jenimahn. Kivoles lumerales
19 Filmh. Eh. Jensillo. I Beach back—
1 Homalian planum, 4 Bitoma crenata
1 Acalles astronia also i Phlorochains subtitionum
Turaps a calles queras lik.

24 In cella e 1 Pristorychus tericola, Carubos vis lava

13 .. do 2 Pristorychus / Car. nemoralis 3
20 anden, cut agravis + Plid, discridus Irog.

12 25 Brockenhunst towards Reachin + Ludy Cross Sharf & Champin

1 Grammopticu arali, b Pogonochtrus pilosus

Recenenio capucius!

Rea Denry: in Octoaging beech. 6 Interorhagus pugguatus

abo Sharp & Champin got pluty. New to Britain

15 26 Chandles Ford, at Pit on London Road Been. Aris

Stenus la lifron

Chalk pit, Parammatus alous, 1 Capida Alouis

Bruchus Cisti

at Twy ford, wet measlows. Dodes, 181. why viorus

Don. saypittariae D.



April 1st	"	In hayrick rubbish, Sunius angustatus abundant, neglectus also abundant. Atomaria sericoderus, Crypt. pilosus?, Dromius obscuroguttatus abundant, Mic-
6th	14	raspis 12 punctata, profusion, Corticaria. Hampstead, four Aphodius testudinarius, two Hetaerius sesquicornis ⁸ , one Ate-
May 3rd	20	meles, one Myr. limbata. Lewisham Loam Pit, two Bem. 5- striatum.
	28	Pool near Stonehams Farm, one Bem.
		sturmii ⁹ , Stenus incrassatus, plancus, Playts, cornutus.
30th	31	Went to pool near Stonehams Farm, Bembidion quadripustulatum ¹⁰ , new to Britain. On the way, Pachyta collaris,
June 1st	,,	Ceuthor, inaffectatus. Went to pool near Stonehams Farm, one
		Saprinus virescens, Stenus incrassatus, Bembidion bistriatum, Stenus picipennis, on Cochleria Phaedon armoriciae. In
7th	36	wood Polydrusus flavipes. Pool near Stoneham's, wind north, somewhat cloudy, on the way, Dasytes flavipes, Pachyta collaris common, Tel. oralis (three), Rh. fuscicornis. At pool, Deleaster dichrous (one), Bem. quadripustulatum, Stenus incrassatus. Stream below pool, Grap. consobrina, Cionus blattariae common and hortanulus. On the hills.
11th		one Orchestes pratensis, Th. anchusae. Went to Stoneham's pool, five Bemb.
13th		4pustulatum. Went to Stoneham's pool, ? Bem. 4pustulatum, <i>Donacia sagittariae</i> . On the way, P. collaris, Grapt. consobrina, one
July 9th	51	Mordella fasciata. Banks of stream near Otham on Spiraea 60 [crossed through] 74 Cercus pedi- cularis [crossed through], bipustulatus
20th	58	pale specimens. Sweeping 7 o'clock to 8.30, damp copse near road, Anisotoma calcarata (small 2), one calcarata, Col. dentipes, one Catops.

See Janson in Entomologist's Annual for 1857, p. 77. "Found by myself at Hampstead, in nests of Formica flava and fusca, beneath stones on a loamy hedge-bank having a western aspect, in 1848 and stones off a loamy nedge-dank naving a western aspect, in 1848 and again in 1856, where I repeatedly and assiduously searched for it during the intervening years, but without success." On page 92, in his "Oservations on the Myrmecophilous Coleeoptera" is a short passage worthy of inclusion here, if only to show what may be achieved by hard work in the field. "And if after a long day's search, weary and perhaps disappointed at not having found the property of the house Hetaerius, let him not, I entract, churlishly destroy the homes of the unoffending ants, and with them all chance of future success—the morrow may prove more propitious; this I can assure him, the simple plan just described is one I have invariably pursued, vainly day after day for seven years it is true, but at length successfully.

9. Previous entry dated May 24th. See Fowler, 1887, 1: 107, and Allen, 1965. Gorham has thus captured Bembidion octomaculatum in three localities, Stoneham's Farm, near Bearstead, May 1870; near Love Groves, May 24th, 1872; and Hookland, May 24th, 1874.

10. See Fowler, 1887, 1: 114.

20	NITOMOL OCI	ST'S RECORD, VOL. 91 1/I/79
August 10th	66	In Gore Court, one Laemophloeus bimaculatus on stump of felled tree (Wych Elm?), one Euplectus. Near sand pit, Ware Street, three Apion meliloti, two Crep. modeeri.
23rd	71	At Hastings, two Harp. rubripes green vars. Sit. puncticollis.
26th		Sweeping in damp copse, one Anis. cal- carata.
	72	Dried stream near Snorkhurst [Snark-hurst], 13 Agabus frontalis, two Hydroporus memonius.
Next entry, number	73	number 73, is dated August 27th, thus the Agabus were captured on August
August 26th		26th.
November 2nd	84	In moss, one <i>Phloiophilus edwardsi</i> , one Bythinus bulbifer. Sand Pits Hd.
7th	86	Searched in vain for Phloiophilus, under bark of oak bough, one D. 4signatus, in fungi Bol. exoletus.
1871		
May 30th	43	With Power, Banks of Len., one Amphotis (in nest), three Bembidion, 4pus-
June 6th		tulatum ¹¹ , Bem. bruxellense. Before breakfast sought for 4pus-
17th	50	tulatum without success. Fungi on old stumps. <i>Bolitochara lucida</i> ¹² in great numbers, took 50, Triplax russica, Mycetoph. multipunctatum, Epurae
		limbata, Engis and Ips 4pustulatus were in profusion. Sent box to Scott.
October 16th	85	From R. Lawson, one Bol. lunulata, one Oc. latipennis, one T. saliciti.
17th	86	From E. A. Waterhouse — one H. servus, four Ag. nigripenne, five Hetero-
26th	87	thops praevius. From Power, six Sphindus, five Tychius pygmaeus, three Rhin. bruchoides, two L. dissimilis, four Lypus cylindrus, four
27th		Monanthia. From J. R. Hardy, two C. viduatus, four
November 4th	,,	C. distingueneum. From C. O. Waterhouse, two Cincindella
16th	89	sylvatica. From D. Sharp, one <i>Dendrophagus cre-</i>
_	90	From Fred Smith, two Meloe rugosus, four Ceuth. resedae, one Ceuth. melano-
21st	91	stictus, six Tychius lineatus. From G. C. Champion, nine Apion Limonii, three Sybynes arenariae Tom-
December 29th	93	ovia biguttata, two Hydaticus hybneri. Sir. H. Meux's one broken Elater bal-
30th	94	teatus. Clayhill, Cossuss infested elm, a young tree. One Cryptarcha imperialis, two C. strigata, one Rhyn. concinus.
1872		
January 1	1	Clayhill, Enfiield, Cossuss tree, three Crytarcha strigata, three C. imperialis, two Litargus bifasciatus, one Baris lepidii,
2nd		several Hypodphloeus bicolor.
11. The River	Len flows thre	One imperialis, two strigata.

^{11.} The River Len flows through Bearstead.
12. See Fowler, 1888, 2: 168 (Sandwich).
13. See Fowler, 1891, 5: 98.